
Protecting Our Water Environment



Metropolitan Water Reclamation District of Greater Chicago

Watershed Management Ordinance
Update & Potential BMP
Requirements

March 9, 2011

John P. Murray, PE, CFM Principal Civil Engineer

WATERSHED MANAGEMENT ORDINANCE (WMO)

- Rules and regulations concerning stormwater management for development and redevelopment projects
 - Uniform, minimum requirements for all Cook County
- Work began in 2007 with the assistance of advisory committees

WATERSHED MANAGEMENT ORDINANCE (WMO)



ECONOMIC IMPACT STUDY

- Draft WMO submitted for public review in Fall 2009
 - Economic Impact Study (EIS) in progress
 - Engineering Component
 - » Majority of work completed
 - Real Estate Economist Component
 - » Goal is to issue RFP in April
 - EIS Expected to be completed June 2011

Draft WMO & BMPs

- Detention
 - Current requirement
 - Rational method, TP 40
 - Thresholds
 - » Non residential >> 5 acres
 - » Residential >> 10 acres
 - Draft WMO requirement
 - Fixed dual release rate, Bulletin 70
 - Thresholds
 - » Non residential >> 3 acres
 - » Residential >> 5 acres

Draft WMO & BMPs

- Green to address smaller, more frequent rainfall events
 - Volume Control / Water Quality
 - Capture of 1st inch on impervious areas
 - » Pervious pavement
 - » Rain Gardens
 - » Swales
 - Thresholds: 0.5 acre non-resdiential, 1.0 acre residential

Other BMPs

- Erosion and Sediment Control
- Isolated wetland protection
- Riparian environment protection
- Required maintenance plan



Path Forward

??????